

Unable to generate a URL for the named route "admin_customers_view" as such route does not exist.



Exception Logs 2 Stack Trace

Symfony\Component\Routing\Exception RouteNotFoundException

```
in var/cache/dev/appDevDebugProjectContainerUriGenerator.php (line 231)
226.     }
227.
228.     public function generate($name, $parameters = [], $referenceType = self::ABSOLUTE_PATH)
229.     {
230.         if (!isset(self::$declaredRoutes[$name])) {
231.             throw new RouteNotFoundException(sprintf('Unable to generate a URL for the named route "%s" as such route does not exist.', $name));
232.         }
233.
234.         list($variables, $defaults, $requirements, $tokens, $hostTokens, $requiredSchemes) = self::$declaredRoutes[$name];
235.
236.         return $this->doGenerate($variables, $defaults, $requirements, $tokens, $parameters, $name, $referenceType, $hostTokens, $requiredSchemes);

```

```
appDevDebugProjectContainerUriGenerator->generate('admin_customers_view', array('customerId' => '0'), 0)
in vendor/symfony/symfony/src/Symfony/Component/Routing/Router.php (line 240)
235.     /**
236.      * {@inheritdoc}
237.      */
238.     public function generate($name, $parameters = [], $referenceType = self::ABSOLUTE_PATH)
239.     {
240.         return $this->getGenerator()->generate($name, $parameters, $referenceType);
241.     }
242.
243.     /**
244.      * {@inheritdoc}
245.      */

```

```
Router->generate('admin_customers_view', array('customerId' => '0'), 0)
in src/PrestaShopBundle/Service/Routing/Router.php (line 49)
44.     /**
45.      * {@inheritdoc}
46.      */
47.     public function generate($name, $parameters = array(), $referenceType = self::ABSOLUTE_PATH)
48.     {
49.         $url = parent::generate($name, $parameters, $referenceType);
50.         $token = $this->tokenManager->getToken($this->userProvider->getUsername()->getValue());
51.
52.         return self::generateTokenizedUrl($url, $token);
53.     }
54.

```

```
Router->generate('admin_customers_view', array('customerId' => '0'), 0)
in classes/Link.php (line 1480)
1475.         $sfContainer = SymfonyContainer::getInstance();
1476.         if (!is_null($sfContainer)) {
1477.             $sfRouter = $sfContainer->get('router');
1478.
1479.             if (array_key_exists('sf-params', $params)) {
1480.                 return $sfRouter->generate($params['route'], $params['sf-params'], UriGeneratorInterface::ABSOLUTE_URL);
1481.             }
1482.             $link = $sfRouter->generate($params['route'], array(), UriGeneratorInterface::ABSOLUTE_URL);
1483.         } else {
1484.             throw new InvalidArgumentException('You can't use Symfony router in legacy context.');
```

```
LinkCore::getUrlSmarty(array('id_lang' => 1, 'id_shop' => null, 'alias' => null, 'ssl' => null, 'relative_protocol' => true, 'entity' => 'sf', 'route' => 'admin_customers_view', 'sf-params' => array('customerId' => '0'), 'params' => array()))
in classes/Smarty/SmartyLazyRegister.php (line 83)
78.         } else {
79.             $args[] = $arguments[$a];
80.         }
81.     }
82.
83.     return call_user_func_array($item, $args);
84. }
85. }
86.
87. public static function getInstance($smarty)
88. {

```

```
SmartyLazyRegister->__call('getUrlSmarty', array(array('entity' => 'sf', 'route' => 'admin_customers_view', 'sf-params' => array('customerId' => '0')), object(Smarty_Internal_Template)))
in var/cache/dev/smarty/compiled/b84412b844120d86403dcd0c43e9f79817a49d_0.file.menu.tpl.php (line 99)
94. ";
95. var adminControllerInvoices = "<?php echo call_user_func_array($smarty_tpl->registered_plugins[ 'modifier' ] [ 'escape' ] [ 0 ], array( $smarty_tpl->tpl_vars['adminControllerInvoices']->value, 'htmlall', 'UTF-8' ));?>";
96. ";
97. var ps_version = "<?php echo call_user_func_array($smarty_tpl->registered_plugins[ 'modifier' ] [ 'escape' ] [ 0 ], array( $smarty_tpl->tpl_vars['isps17']->value, 'htmlall', 'UTF-8' ));?>";
98. ";
99. var customer_link = "<?php echo call_user_func_array( $smarty_tpl->smarty->registered_plugins[Smarty::PLUGIN_FUNCTION]['url'][0], array( array('entity'=>'sf', 'route'=>'admin_customers_view', 'sf-params'=>array('customerId'=>'0')), $smarty_tpl ) );?>";
100. ";
101.
102. var messageSuccessCopy = "<?php echo call_user_func_array( $smarty_tpl->smarty->registered_plugins[Smarty::PLUGIN_FUNCTION]['1'][0], array( array('s'=>'Url has been copied to the clipboard!', 'mod'=>'psgdpn', 'js'=>1), $smarty_tpl ) );?>";
103. ";
104. var messageSuccessInvoices = "<?php echo call_user_func_array( $smarty_tpl->smarty->registered_plugins[Smarty::PLUGIN_FUNCTION]['1'][0], array( array('s'=>'Invoices have been successfully downloaded.', 'mod'=>'psgdpn', 'js'=>1), $smarty_tpl ) );?>";

```

```
content_63639670c71fa8_67349852(object(Smarty_Internal_Template))
in vendor/smarty/smarty/libs/sysplugins/smarty_template_resource_base.php (line 123)
118.         if ($template->startRenderCallbacks) {
119.             foreach ($template->startRenderCallbacks as $callback) {
120.                 call_user_func($callback, $template);
121.             }
122.         }
123.         $unifunc($template);
124.         foreach ($template->endRenderCallbacks as $callback) {
125.             call_user_func($callback, $template);
126.         }
127.         $template->isRenderingCache = false;
128.     } catch (Exception $e) {

```

```
Smarty_Template_Resource_Base->getRenderedTemplateCode(object(Smarty_Internal_Template))
in vendor/smarty/smarty/libs/sysplugins/smarty_template_compiled.php (line 114)
```

```
111.         if ($_template->source->handler->uncompiled) {
112.             $_template->source->handler->renderUncompiled($_template->source, $_template);
113.         } else {
114.             $this->getRenderedTemplateCode($_template);
115.         }
116.         if ($_template-> caching && $this->has_nocache_code) {
117.             $_template->cached->hashes[ $this->nocache_hash ] = true;
118.         }
119.         if ($_template->smarty->debugging) {
```

▣ **Smarty_Template_Compiled->render**(object(Smarty_Internal_Template))
in vendor/smarty/smarty/libs/sysplugins/smarty_internal_template.php (line 216)

```
211.             $this->cached->render($this, $no_output_filter);
212.         } else {
213.             if (!isset($this->compiled) || $this->compiled->compile_id !== $this->compile_id) {
214.                 $this->loadCompiled(true);
215.             }
216.             $this->compiled->render($this);
217.         }
218.         // display or fetch
219.         if ($display) {
220.             if ($this->caching && $this->smarty->cache_modified_check) {
221.                 $this->smarty->ext->_cacheModify->cacheModifiedCheck(
```

▣ **Smarty_Internal_Template->render**(false, 0)
in vendor/smarty/smarty/libs/sysplugins/smarty_internal_templatebase.php (line 232)

```
227.         ob_start();
228.         $template->_mergeVars();
229.         if (!empty(Smarty::$global_tpl_vars)) {
230.             $template->tpl_vars = array_merge(Smarty::$global_tpl_vars, $template->tpl_vars);
231.         }
232.         $result = $template->render(false, $function);
233.         $template->_cleanup();
234.         if ($saveVars) {
235.             $template->tpl_vars = $savedTplVars;
236.             $template->config_vars = $savedConfigVars;
237.         } else {
```

▣ **Smarty_Internal_TemplateBase->_execute**(object(Smarty_Internal_Template), null, null, null, 0)
in vendor/smarty/smarty/libs/sysplugins/smarty_internal_templatebase.php (line 116)

```
111.     * @throws SmartyException
112.     * @return string rendered template output
113.     */
114.     public function fetch($template = null, $cache_id = null, $compile_id = null, $parent = null)
115.     {
116.         $result = $this->_execute($template, $cache_id, $compile_id, $parent, 0);
117.         return $result === null ? ob_get_clean() : $result;
118.     }
119.
120.     /**
121.     * displays a Smarty template
```

▣ **Smarty_Internal_TemplateBase->fetch**('home/admin/domains/gealasantaria.it/public_html/modules/psgdpr/views/templates/admin/menu.tpl')
in modules/psgdpr/psgdpr.php (line 476)

```
471.         'ps_base_dir' => Tools::getHttpHost(true),
472.         'ps_version' => _PS_VERSION_,
473.         'isPs17' => $this->ps_version,
474.     ]];
475.
476.     $this->output .= $this->context->smarty->fetch($this->local_path . 'views/templates/admin/menu.tpl');
477.
478.     return $this->output;
479. }
480.
481. /**
```

▣ **Psgdpr->getContent**()
in controllers/admin/AdminModulesController.php (line 905)

```
900.
901.         if (count($this->errors)) {
902.             continue;
903.         }
904.         // Get the return value of current method
905.         $echo = $module->{$method}();
906.
907.         // After a successful install of a single module that has a configuration method, to the configuration page
908.         if ($key == 'install' && $echo === true && strpos(Tools::getValue('install'), '|') === false && method_exists($module, 'getContent')) {
909.             Tools::redirectAdmin(self::$currentIndex . '&token=' . $this->token . '&configure=' . $module->name . '&conf=12');
910.         }
911.     }
912. }
```

▣ **AdminModulesControllerCore->postProcessCallback**()
in controllers/admin/AdminModulesController.php (line 1165)

```
1160.     }
1161. }
1162.
1163. // Call appropriate module callback
1164. if (!isset($ppm_return)) {
1165.     $this->postProcessCallback();
1166. }
1167.
1168. if (Tools::getValue('generate_rtl') && Tools::getValue('configure') != '') {
1169.     Language::getRtlStylesheetProcessor()
1170.     ->setProcessPaths(array(
```

▣ **AdminModulesControllerCore->postProcess**()
in classes/controller/Controller.php (line 270)

```
265.         if (!$this->content_only && ($this->display_header || (isset($this->className) && $this->className))) {
266.             $this->setMedia();
267.         }
268.
269.         // postProcess handles ajaxProcess
270.         $this->postProcess();
271.
272.         if (!empty($this->redirect_after)) {
273.             $this->redirect();
274.         }
275.     }
276. }
```

▣ **ControllerCore->run**()
in classes/Dispatcher.php (line 511)

```
276.     if ($isset($request->body) && !empty($request->body)) {
```

```
508.     }
509.
510.     // Running controller
511.     $controller->run();
512.
513.     // Execute hook dispatcher after
514.     if (isset($params_hook_action_dispatcher)) {
515.         Hook::exec('actionDispatcherAfter', $params_hook_action_dispatcher);
516.     }
```

DispatcherCore->dispatch()
in admin6291wpxy/index.php (line 99)

```
94.     if (!headers_sent()) {
95.         header('Content-Type: text/html; charset=utf-8');
96.     }
97.
98.     // Prepare and trigger LEGACY admin dispatcher
99.     Dispatcher::getInstance()->dispatch();
100. }
101.
```