

Mozilla/5.0 (Macintosh; Intel Mac OS X 10_12_6) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/63.0.3239.132 Safari/537.36

1. setupauth (0, 1, 1)
2. authbase0 (0, 5, 5)
3. auth_useAuthUrl_json (0, 1, 1)
4. auth_useAuthUrl_post_json (0, 1, 1)
5. auth_useAuthUrl_plainText (0, 1, 1)
6. auth_useAuthCallback_tokenRequestResponse (0, 3, 3)
7. auth_useAuthCallback_tokenDetailsResponse (0, 4, 4)
8. auth_useAuthCallback_tokenStringResponse (0, 3, 3)
9. auth_useAuthUrl_mixed_authParams_qsParams (0, 1, 1)
10. auth_clientid_inheritance (0, 1, 1)
11. auth_clientid_inheritance2 (0, 3, 3)
12. auth_clientid_inheritance3 (0, 1, 1)
13. auth_clientid_inheritance4 (0, 1, 1)
14. auth_clientid_inheritance5 (0, 1, 1)
15. authCallback_error (0, 3, 3)
16. authCallback_timeout (0, 3, 3)
17. authCallback_nothing (0, 3, 3)
18. authCallback_malformed (0, 3, 3)
19. authCallback_too_long_string (0, 3, 3)
20. authUrl_timeout (0, 3, 3)
21. authUrl_404 (0, 3, 3)
22. authUrl_wrong_content_type (0, 3, 3)
23. authUrl_401 (0, 3, 3)
24. authUrl_403 (0, 3, 3)
25. auth_token_expires_with_web_socket_binary_transport (0, 4, 4)
26. auth_token_expires_with_web_socket_text_transport (0, 4, 4)
27. auth_token_expires_with_xhr_streaming_binary_transport (0, 4, 4)
28. auth_token_expires_with_xhr_streaming_text_transport (0, 4, 4)
29. auth_token_expires_with_xhr_polling_binary_transport (0, 4, 4)
30. auth_token_expires_with_xhr_polling_text_transport (0, 4, 4)
31. auth_token_expires_with_binary_transport (0, 4, 4)
32. auth_token_expires_with_text_transport (0, 4, 4)
33. auth_query_time_once (0, 12, 12)
34. auth_tokenDetails_expiry_with_authcallback_with_web_socket_binary_transport (0, 4, 4)
35. auth_tokenDetails_expiry_with_authcallback_with_web_socket_text_transport (0, 4, 4)
36. auth_tokenDetails_expiry_with_authcallback_with_xhr_streaming_binary_transport (0, 4, 4)
37. auth_tokenDetails_expiry_with_authcallback_with_xhr_streaming_text_transport (0, 4, 4)
38. auth_tokenDetails_expiry_with_authcallback_with_xhr_polling_binary_transport (0, 4, 4)
39. auth_tokenDetails_expiry_with_authcallback_with_xhr_polling_text_transport (0, 4, 4)
40. auth_tokenDetails_expiry_with_authcallback_with_binary_transport (0, 4, 4)
41. auth_tokenDetails_expiry_with_authcallback_with_text_transport (0, 4, 4)
42. auth_token_string_expiry_with_authcallback_with_web_socket_binary_transport (0, 4, 4)
43. auth_token_string_expiry_with_authcallback_with_web_socket_text_transport (0, 4, 4)
44. auth_token_string_expiry_with_authcallback_with_xhr_streaming_binary_transport (0, 4, 4)
45. auth_token_string_expiry_with_authcallback_with_xhr_streaming_text_transport (0, 4, 4)
46. auth_token_string_expiry_with_authcallback_with_xhr_polling_binary_transport (0, 4, 4)
47. auth_token_string_expiry_with_authcallback_with_xhr_polling_text_transport (0, 4, 4)
48. auth_token_string_expiry_with_authcallback_with_binary_transport (0, 4, 4)
49. auth_token_string_expiry_with_authcallback_with_text_transport (0, 4, 4)
50. auth_token_string_expiry_with_token_with_web_socket_binary_transport (0, 6, 6)
51. auth_token_string_expiry_with_token_with_web_socket_text_transport (0, 6, 6)

52. auth_token_string_expiry_with_token_with_xhr_streaming_binary_transport (0, 6, 6)
53. auth_token_string_expiry_with_token_with_xhr_streaming_text_transport (0, 6, 6)
54. auth_token_string_expiry_with_token_with_xhr_polling_binary_transport (0, 6, 6)
55. auth_token_string_expiry_with_token_with_xhr_polling_text_transport (0, 6, 6)
56. auth_token_string_expiry_with_token_with_binary_transport (0, 6, 6)
57. auth_token_string_expiry_with_token_with_text_transport (0, 6, 6)
58. auth_expired_token_string_with_web_socket_binary_transport (0, 2, 2)
59. auth_expired_token_string_with_web_socket_text_transport (0, 2, 2)
60. auth_expired_token_string_with_xhr_streaming_binary_transport (0, 2, 2)
61. auth_expired_token_string_with_xhr_streaming_text_transport (0, 2, 2)
62. auth_expired_token_string_with_xhr_polling_binary_transport (0, 2, 2)
63. auth_expired_token_string_with_xhr_polling_text_transport (0, 2, 2)
64. auth_expired_token_string_with_binary_transport (0, 2, 2)
65. auth_expired_token_string_with_text_transport (0, 2, 2)
66. reauth_authCallback_with_web_socket_binary_transport (0, 5, 5)
67. reauth_authCallback_with_web_socket_text_transport (0, 5, 5)
68. reauth_authCallback_with_xhr_streaming_binary_transport (0, 5, 5)
69. reauth_authCallback_with_xhr_streaming_text_transport (0, 5, 5)
70. reauth_authCallback_with_xhr_polling_binary_transport (0, 5, 5)
71. reauth_authCallback_with_xhr_polling_text_transport (0, 5, 5)
72. reauth_authCallback_with_binary_transport (0, 5, 5)
73. reauth_authCallback_with_text_transport (0, 5, 5)
74. authorize_updates_stored_details (0, 8, 8)
75. mocked_reauth (0, 4, 4)
76. setupchannel (0, 1, 1)
77. channelinit0_with_web_socket_binary_transport (0, 4, 4)
78. channelinit0_with_web_socket_text_transport (0, 4, 4)
79. channelinit0_with_xhr_streaming_binary_transport (0, 4, 4)
80. channelinit0_with_xhr_streaming_text_transport (0, 4, 4)
81. channelinit0_with_xhr_polling_binary_transport (0, 4, 4)
82. channelinit0_with_xhr_polling_text_transport (0, 4, 4)
83. channelinit0_with_binary_transport (0, 4, 4)
84. channelinit0_with_text_transport (0, 4, 4)
85. channelattach0_with_web_socket_binary_transport (0, 1, 1)
86. channelattach0_with_web_socket_text_transport (0, 1, 1)
87. channelattach0_with_xhr_streaming_binary_transport (0, 1, 1)
88. channelattach0_with_xhr_streaming_text_transport (0, 1, 1)
89. channelattach0_with_xhr_polling_binary_transport (0, 1, 1)
90. channelattach0_with_xhr_polling_text_transport (0, 1, 1)
91. channelattach0_with_binary_transport (0, 1, 1)
92. channelattach0_with_text_transport (0, 1, 1)
93. channelattach2_with_web_socket_binary_transport (0, 1, 1)
94. channelattach2_with_web_socket_text_transport (0, 1, 1)
95. channelattach2_with_xhr_streaming_binary_transport (0, 1, 1)
96. channelattach2_with_xhr_streaming_text_transport (0, 1, 1)
97. channelattach2_with_xhr_polling_binary_transport (0, 1, 1)
98. channelattach2_with_xhr_polling_text_transport (0, 1, 1)
99. channelattach2_with_binary_transport (0, 1, 1)
100. channelattach2_with_text_transport (0, 1, 1)
101. channelattach3_with_web_socket_binary_transport (0, 1, 1)
102. channelattach3_with_web_socket_text_transport (0, 1, 1)
103. channelattach3_with_xhr_streaming_binary_transport (0, 1, 1)
104. channelattach3_with_xhr_streaming_text_transport (0, 1, 1)
105. channelattach3_with_xhr_polling_binary_transport (0, 1, 1)
106. channelattach3_with_xhr_polling_text_transport (0, 1, 1)
107. channelattachempty_with_web_socket_binary_transport (0, 2, 2)
108. channelattachempty_with_web_socket_text_transport (0, 2, 2)
109. channelattachempty_with_xhr_streaming_binary_transport (0, 2, 2)
110. channelattachempty_with_xhr_streaming_text_transport (0, 2, 2)
111. channelattachempty_with_xhr_polling_binary_transport (0, 2, 2)
112. channelattachempty_with_xhr_polling_text_transport (0, 2, 2)

113. channelattachempty_with_binary_transport (0, 2, 2)
114. channelattachempty_with_text_transport (0, 2, 2)
115. channelattachinvalid_with_web_socket_binary_transport (0, 4, 4)
116. channelattachinvalid_with_web_socket_text_transport (0, 4, 4)
117. channelattachinvalid_with_xhr_streaming_binary_transport (0, 4, 4)
118. channelattachinvalid_with_xhr_streaming_text_transport (0, 4, 4)
119. channelattachinvalid_with_xhr_polling_binary_transport (0, 4, 4)
120. channelattachinvalid_with_xhr_polling_text_transport (0, 4, 4)
121. channelattachinvalid_with_binary_transport (0, 4, 4)
122. channelattachinvalid_with_text_transport (0, 4, 4)
123. publish_no_attach_with_web_socket_binary_transport (0, 1, 1)
124. publish_no_attach_with_web_socket_text_transport (0, 1, 1)
125. publish_no_attach_with_xhr_streaming_binary_transport (0, 1, 1)
126. publish_no_attach_with_xhr_streaming_text_transport (0, 1, 1)
127. publish_no_attach_with_xhr_polling_binary_transport (0, 1, 1)
128. publish_no_attach_with_xhr_polling_text_transport (0, 1, 1)
129. publish_no_attach_with_binary_transport (0, 1, 1)
130. publish_no_attach_with_text_transport (0, 1, 1)
131. channelattach_publish_invalid_with_web_socket_binary_transport (0, 2, 2)
132. channelattach_publish_invalid_with_web_socket_text_transport (0, 2, 2)
133. channelattach_publish_invalid_with_xhr_streaming_binary_transport (0, 2, 2)
134. channelattach_publish_invalid_with_xhr_streaming_text_transport (0, 2, 2)
135. channelattach_publish_invalid_with_xhr_polling_binary_transport (0, 2, 2)
136. channelattach_publish_invalid_with_xhr_polling_text_transport (0, 2, 2)
137. channelattach_publish_invalid_with_binary_transport (0, 2, 2)
138. channelattach_publish_invalid_with_text_transport (0, 2, 2)
139. channelattach_invalid_twice_with_web_socket_binary_transport (0, 3, 3)
140. channelattach_invalid_twice_with_web_socket_text_transport (0, 3, 3)
141. channelattach_invalid_twice_with_xhr_streaming_binary_transport (0, 3, 3)
142. channelattach_invalid_twice_with_xhr_streaming_text_transport (0, 3, 3)
143. channelattach_invalid_twice_with_xhr_polling_binary_transport (0, 3, 3)
144. channelattach_invalid_twice_with_xhr_polling_text_transport (0, 3, 3)
145. channelattach_invalid_twice_with_binary_transport (0, 3, 3)
146. channelattach_invalid_twice_with_text_transport (0, 3, 3)
147. channelattachOnceOrIfAfter (0, 1, 1)
148. channelattachOnceOrIfBefore (0, 2, 2)
149. channelsubscribe0 (0, 1, 1)
150. channelsubscribe1 (0, 7, 7)
151. server_sent_detached (0, 4, 4)
152. server_sent_detached_while_attaching (0, 4, 4)
153. server_sent_error (0, 2, 2)
154. server_sent_attached_err (0, 6, 6)
155. publish_no_queueing (0, 1, 1)
156. channel_attach_timeout (0, 4, 4)
157. suspended_connection (0, 5, 5)
158. setupConnection (0, 1, 1)
159. connectionPing (0, 1, 1)
160. connectionPingWithCallback (0, 2, 2)
161. connectionAttributes (0, 6, 6)
162. unrecoverableConnection (0, 4, 4)
163. connectionQueuing (0, 5, 5)
164. connectionDetails (0, 4, 4)
165. setupConnectivity (0, 1, 1)
166. http_connectivity_check (0, 1, 1)
167. setupCrypto (0, 1, 1)
168. generateRandomKey0 (0, 1, 1)
169. generateRandomKey1 (0, 1, 1)
170. getDefaultParams_wordArray_key (0, 3, 3)
171. getDefaultParams_base64_key (0, 1, 1)
172. getDefaultParams_check_keylength (0, 1, 1)
173. getDefaultParams_preserves_custom_algorithms (0, 4, 4)

174. encrypt_message_128 (0, 4, 4)
175. encrypt_message_256 (0, 4, 4)
176. decrypt_message_128 (0, 4, 4)
177. decrypt_message_256 (0, 4, 4)
178. fromEncoded_cipher_options (0, 4, 4)
179. msgpack_128 (0, 8, 8)
180. msgpack_256 (0, 8, 8)
181. single_send_128_with_web_socket_binary_transport (0, 3, 3)
182. single_send_128_with_web_socket_text_transport (0, 3, 3)
183. single_send_128_with_xhr_streaming_binary_transport (0, 3, 3)
184. single_send_128_with_xhr_streaming_text_transport (0, 3, 3)
185. single_send_128_with_xhr_polling_binary_transport (0, 3, 3)
186. single_send_128_with_xhr_polling_text_transport (0, 3, 3)
187. single_send_128_with_binary_transport (0, 3, 3)
188. single_send_128_with_text_transport (0, 3, 3)
189. single_send_256_with_web_socket_binary_transport (0, 3, 3)
190. single_send_256_with_web_socket_text_transport (0, 3, 3)
191. single_send_256_with_xhr_streaming_binary_transport (0, 3, 3)
192. single_send_256_with_xhr_streaming_text_transport (0, 3, 3)
193. single_send_256_with_xhr_polling_binary_transport (0, 3, 3)
194. single_send_256_with_xhr_polling_text_transport (0, 3, 3)
195. single_send_256_with_binary_transport (0, 3, 3)
196. single_send_256_with_text_transport (0, 3, 3)
197. multiple_send_binary_2_200 (0, 5, 5)
198. multiple_send_text_2_200 (0, 5, 5)
199. multiple_send_binary_20_100 (0, 23, 23)
200. multiple_send_text_20_100 (0, 23, 23)
201. single_send_binary_text (0, 3, 3)
202. single_send_text_binary (0, 3, 3)
203. publish_immediately (0, 1, 1)
204. single_send_key_mismatch (0, 1, 1)
205. single_send_unencrypted (0, 1, 1)
206. single_send_encrypted_unhandled (0, 1, 1)
207. set_cipher_params0 (0, 3, 3)
208. setupEncoding (0, 1, 1)
209. message_decoding (0, 10, 10)
210. message_encoding (0, 25, 25)
211. setupauth (0, 1, 1)
212. attachdetach0 (0, 8, 8)
213. emitCallsAllCallbacksIgnoringExceptions (0, 1, 1)
214. onceCalledOnlyOnce (0, 2, 2)
215. onceCallbackDoesNotImpactOnCallback (0, 1, 1)
216. offRemovesAllMatchingListeners (0, 2, 2)
217. offRemovesAllListeners (0, 2, 2)
218. offRemovesAllMatchingEventListeners (0, 2, 2)
219. offRemovesAllMatchingEvents (0, 2, 2)
220. offRemovesEmptyEventNameListeners (0, 4, 4)
221. arrayOfEvents (0, 4, 4)
222. listenerAddedInListenerCb (0, 2, 2)
223. listenerRemovedInListenerCb (0, 4, 4)
224. setupFailure (0, 1, 1)
225. invalid_cred_failure (0, 16, 16)
226. break_transport (0, 4, 4)
227. no_connection_lifecycle (0, 4, 4)
228. failed_channel (0, 18, 18)
229. attach_timeout (0, 4, 4)
230. nack_on_connection_suspended (0, 3, 3)
231. nack_on_connection_failed (0, 3, 3)
232. nack_on_connection_closed (0, 3, 3)
233. idle_transport_timeout (0, 3, 3)
234. setup_realtime_history (0, 1, 1)

235. history_until_attach (0, 4, 4)
236. setupInit (0, 1, 1)
237. initbase0 (0, 1, 1)
238. init_key_string (0, 2, 2)
239. init_token_string (0, 2, 2)
240. init_key_with_usetokenauth (0, 4, 4)
241. init_usetokenauth_defaulttokenparams_wildcard (0, 4, 4)
242. init_defaulttokenparams_nonwildcard (0, 3, 3)
243. init_conflicting_clientids (0, 2, 2)
244. init_with_usetokenauth_false_and_a_clientid (0, 1, 1)
245. init_defaulthost (0, 1, 1)
246. init_timeouts (0, 3, 3)
247. init_fallbacks (0, 6, 6)
248. init_and_connection_details (0, 4, 4)
249. setupMessage (0, 1, 1)
250. publishonce (0, 2, 2)
251. publishfast_with_web_socket_binary_transport (0, 100, 100)
252. publishfast_with_web_socket_text_transport (0, 100, 100)
253. publishfast_with_xhr_streaming_binary_transport (0, 100, 100)
254. publishfast_with_xhr_streaming_text_transport (0, 100, 100)
255. publishfast_with_xhr_polling_binary_transport (0, 100, 100)
256. publishfast_with_xhr_polling_text_transport (0, 100, 100)
257. publishfast_with_binary_transport (0, 100, 100)
258. publishfast_with_text_transport (0, 100, 100)
259. publishQueued_with_web_socket_binary_transport (0, 150, 150)
260. publishQueued_with_web_socket_text_transport (0, 150, 150)
261. publishQueued_with_xhr_streaming_binary_transport (0, 150, 150)
262. publishQueued_with_xhr_streaming_text_transport (0, 150, 150)
263. publishQueued_with_xhr_polling_binary_transport (0, 150, 150)
264. publishQueued_with_xhr_polling_text_transport (0, 150, 150)
265. publishQueued_with_binary_transport (0, 150, 150)
266. publishQueued_with_text_transport (0, 150, 150)
267. publishEcho (0, 7, 7)
268. publishVariations (0, 28, 28)
269. publishDisallowed (0, 12, 12)
270. publishEncodings (0, 16, 16)
271. restpublish (0, 20, 20)
272. publish_with_web_socket_binary_transport (0, 10, 10)
273. publish_with_web_socket_text_transport (0, 10, 10)
274. publish_with_xhr_streaming_binary_transport (0, 10, 10)
275. publish_with_xhr_streaming_text_transport (0, 10, 10)
276. publish_with_xhr_polling_binary_transport (0, 10, 10)
277. publish_with_xhr_polling_text_transport (0, 10, 10)
278. publish_with_binary_transport (0, 10, 10)
279. publish_with_text_transport (0, 10, 10)
280. implicit_client_id_0 (0, 3, 3)
281. explicit_client_id_0 (0, 4, 4)
282. explicit_client_id_1 (0, 4, 4)
283. subscribe_with_event_array (0, 3, 3)
284. extras_field (0, 3, 3)
285. setupPresence (0, 1, 1)
286. setupPresenceTokens (0, 2, 2)
287. presenceAttachAndEnter (0, 2, 2)
288. presenceEnterWithoutAttach (0, 2, 2)
289. presenceEnterWithoutConnect (0, 2, 2)
290. presenceEnterDetachRace (0, 3, 3)
291. presenceEnterWithCallback (0, 2, 2)
292. presenceEnterWithNothing (0, 1, 1)
293. presenceEnterWithData (0, 1, 1)
294. presenceMessageAction (0, 1, 1)
295. presenceEnterDetachEnter (0, 4, 4)

296. presenceEnterInvalid (0, 2, 2)
297. presenceEnterAndLeave (0, 3, 3)
298. presenceEnterUpdate (0, 5, 5)
299. presenceEnterGet (0, 4, 4)
300. presenceSubscribeUnattached (0, 1, 1)
301. presenceGetUnattached (0, 5, 5)
302. presenceEnterLeaveGet (0, 3, 3)
303. presenceHistory (0, 3, 3)
304. presenceHistoryUntilAttach (0, 6, 6)
305. presenceSecondConnection (0, 3, 3)
306. presenceTwoMembers (0, 10, 10)
307. presenceEnterAfterClose (0, 5, 5)
308. presenceEnterClosed (0, 2, 2)
309. presenceClientIdsImplicit (0, 6, 6)
310. presenceOn (0, 1, 1)
311. presenceEncoding (0, 6, 6)
312. presence_enter_inherited_clientid (0, 3, 3)
313. presence_enter_before_know_clientid (0, 4, 4)
314. presence_refresh_on_detach (0, 7, 7)
315. presence_detach_during_sync (0, 1, 1)
316. presence_auto_reenter (0, 7, 7)
317. presence_failed_auto_reenter (0, 5, 5)
318. multiple_pending (0, 1, 1)
319. leave_published_for_member_missing_from_sync (0, 6, 6)
320. leave_published_for_members_on_presenceless_attached (0, 4, 4)
321. suspended_preserves_presence (0, 8, 8)
322. presence_many_updates (0, 1, 1)
323. setupreauth (0, 1, 1)
324. reauthCapabilityUpgradeNewChannel_with_web_socket_binary_transport (0, 1, 1)
325. reauthCapabilityUpgradeNewChannel_with_web_socket_text_transport (0, 1, 1)
326. reauthCapabilityUpgradeNewChannel_with_xhr_streaming_binary_transport (0, 1, 1)
327. reauthCapabilityUpgradeNewChannel_with_xhr_streaming_text_transport (0, 1, 1)
328. reauthCapabilityUpgradeNewChannel_with_xhr_polling_binary_transport (0, 1, 1)
329. reauthCapabilityUpgradeNewChannel_with_xhr_polling_text_transport (0, 1, 1)
330. reauthCapabilityUpgradeNewChannel_with_binary_transport (0, 1, 1)
331. reauthCapabilityUpgradeNewChannel_with_text_transport (0, 1, 1)
332. reauthCapabilityDowngradeFullChannel_with_web_socket_binary_transport (0, 1, 1)
333. reauthCapabilityDowngradeFullChannel_with_web_socket_text_transport (0, 1, 1)
334. reauthCapabilityDowngradeFullChannel_with_xhr_streaming_binary_transport (0, 1, 1)
335. reauthCapabilityDowngradeFullChannel_with_xhr_streaming_text_transport (0, 1, 1)
336. reauthCapabilityDowngradeFullChannel_with_xhr_polling_binary_transport (0, 1, 1)
337. reauthCapabilityDowngradeFullChannel_with_xhr_polling_text_transport (0, 1, 1)
338. reauthCapabilityDowngradeFullChannel_with_binary_transport (0, 1, 1)
339. reauthCapabilityDowngradeFullChannel_with_text_transport (0, 1, 1)
340. reauthCapabilityUpgradeAddPublish_with_web_socket_binary_transport (0, 1, 1)
341. reauthCapabilityUpgradeAddPublish_with_web_socket_text_transport (0, 1, 1)
342. reauthCapabilityUpgradeAddPublish_with_xhr_streaming_binary_transport (0, 1, 1)
343. reauthCapabilityUpgradeAddPublish_with_xhr_streaming_text_transport (0, 1, 1)
344. reauthCapabilityUpgradeAddPublish_with_xhr_polling_binary_transport (0, 1, 1)
345. reauthCapabilityUpgradeAddPublish_with_xhr_polling_text_transport (0, 1, 1)
346. reauthCapabilityUpgradeAddPublish_with_binary_transport (0, 1, 1)
347. reauthCapabilityUpgradeAddPublish_with_text_transport (0, 1, 1)
348. reauthCapabilityDowngradePublish_with_web_socket_binary_transport (0, 1, 1)
349. reauthCapabilityDowngradePublish_with_web_socket_text_transport (0, 1, 1)
350. reauthCapabilityDowngradePublish_with_xhr_streaming_binary_transport (0, 1, 1)
351. reauthCapabilityDowngradePublish_with_xhr_streaming_text_transport (0, 1, 1)
352. reauthCapabilityDowngradePublish_with_xhr_polling_binary_transport (0, 1, 1)
353. reauthCapabilityDowngradePublish_with_xhr_polling_text_transport (0, 1, 1)
354. reauthCapabilityDowngradePublish_with_binary_transport (0, 1, 1)
355. reauthCapabilityDowngradePublish_with_text_transport (0, 1, 1)
356. setupResume (0, 1, 1)

357. resume_inactive_with_web_socket_binary_transport (0, 3, 3)
358. resume_inactive_with_web_socket_text_transport (0, 3, 3)
359. resume_inactive_with_xhr_streaming_binary_transport (0, 3, 3)
360. resume_inactive_with_xhr_streaming_text_transport (0, 3, 3)
361. resume_inactive_with_xhr_polling_binary_transport (0, 3, 3)
362. resume_inactive_with_xhr_polling_text_transport (0, 3, 3)
363. resume_active_with_web_socket_binary_transport (0, 3, 3)
364. resume_active_with_web_socket_text_transport (0, 3, 3)
365. resume_active_with_xhr_streaming_binary_transport (0, 3, 3)
366. resume_active_with_xhr_streaming_text_transport (0, 3, 3)
367. resume_active_with_xhr_polling_binary_transport (0, 3, 3)
368. resume_active_with_xhr_polling_text_transport (0, 3, 3)
369. resume_lost_continuity_with_web_socket_binary_transport (0, 3, 3)
370. resume_lost_continuity_with_web_socket_text_transport (0, 3, 3)
371. resume_lost_continuity_with_xhr_streaming_binary_transport (0, 3, 3)
372. resume_lost_continuity_with_xhr_streaming_text_transport (0, 3, 3)
373. resume_lost_continuity_with_xhr_polling_binary_transport (0, 3, 3)
374. resume_lost_continuity_with_xhr_polling_text_transport (0, 3, 3)
375. resume_token_error_with_web_socket_binary_transport (0, 2, 2)
376. resume_token_error_with_web_socket_text_transport (0, 2, 2)
377. resume_token_error_with_xhr_streaming_binary_transport (0, 2, 2)
378. resume_token_error_with_xhr_streaming_text_transport (0, 2, 2)
379. resume_token_error_with_xhr_polling_binary_transport (0, 2, 2)
380. resume_token_error_with_xhr_polling_text_transport (0, 2, 2)
381. resume_fatal_error_with_web_socket_binary_transport (0, 3, 3)
382. resume_fatal_error_with_web_socket_text_transport (0, 3, 3)
383. resume_fatal_error_with_xhr_streaming_binary_transport (0, 3, 3)
384. resume_fatal_error_with_xhr_streaming_text_transport (0, 3, 3)
385. resume_fatal_error_with_xhr_polling_binary_transport (0, 3, 3)
386. resume_fatal_error_with_xhr_polling_text_transport (0, 3, 3)
387. channel_resumed_flag (0, 2, 2)
388. no_resume_once_suspended (0, 1, 1)
389. no_resume_last_activity (0, 1, 1)
390. setupSync (0, 1, 1)
391. sync_existing_set (0, 6, 6)
392. sync_member_arrives_in_middle (0, 3, 3)
393. sync_member_arrives_normally_after_came_in_sync (0, 3, 3)
394. sync_member_arrives_normally_before_comes_in_sync (0, 3, 3)
395. presence_ordering (0, 5, 5)
396. presence_sync_interruptus (0, 1, 1)
397. setupUpgrade (0, 1, 1)
398. setupUpgradeRest (0, 1, 1)
399. publishpreupgrade (0, 2, 2)
400. publishpostupgrade0 (0, 2, 2)
401. publishpostupgrade1 (0, 2, 2)
402. upgradepublish0 (0, 10, 10)
403. upgradepublish1 (0, 10, 10)
404. upgradebase0 (0, 2, 2)
405. upgradeheartbeat0 (0, 1, 1)
406. upgradeheartbeat1 (0, 1, 1)
407. upgradeheartbeat2 (0, 1, 1)
408. upgradeheartbeat3 (0, 1, 1)
409. unrecoverableUpgrade (2, 2, 4)
410. message_timeout_stalling_upgrade (0, 3, 3)
411. unresponsive_upgrade_sync (0, 5, 5)
412. persist_transport_prefs (0, 4, 4)
413. upgrade_original_transport_dies (0, 4, 4)
414. setupauth (0, 1, 1)
415. authbase0 (0, 5, 5)
416. authbase1 (0, 4, 4)
417. authbase2 (0, 1, 1)

418. authtime0 (0, 4, 4)
419. authtime1 (0, 1, 1)
420. authtime2 (0, 4, 4)
421. authnonce0 (0, 1, 1)
422. authclientid0 (0, 5, 5)
423. authemptyclientid (0, 1, 1)
424. authcapability0 (0, 4, 4)
425. authkey0 (0, 5, 5)
426. authexplicit_simple (0, 4, 4)
427. authexplicit_key (0, 5, 5)
428. authmac0 (0, 1, 1)
429. authdefaulttokenparams0 (0, 3, 3)
430. authdefaulttokenparams1 (0, 2, 2)
431. authauthorize (0, 3, 3)
432. authttl0 (0, 1, 1)
433. authttl1 (0, 1, 1)
434. authttl2 (0, 1, 1)
435. authttl3 (0, 1, 1)
436. auth_createTokenRequest_given_key (0, 6, 6)
437. auth_createTokenRequest_params0 (0, 1, 1)
438. auth_createTokenRequest_params1 (0, 1, 1)
439. auth_createTokenRequest_given_key2 (0, 1, 1)
440. auth_createTokenRequest_capability_object (0, 1, 1)
441. setupcapability (0, 1, 1)
442. authcapability0 (0, 1, 1)
443. authcapability1 (0, 1, 1)
444. authcapability2 (0, 1, 1)
445. authcapability3 (0, 1, 1)
446. authcapability4 (0, 1, 1)
447. authcapability5 (0, 1, 1)
448. authcapability6 (0, 1, 1)
449. authcapability7 (0, 1, 1)
450. authcapability8 (0, 1, 1)
451. authcapability9 (0, 1, 1)
452. authcapability10 (0, 1, 1)
453. invalid0 (0, 1, 1)
454. invalid1 (0, 1, 1)
455. invalid2 (0, 1, 1)
456. defaults_no_opts (0, 11, 11)
457. defaults_production (0, 11, 11)
458. defaults_given_environment (0, 10, 10)
459. defaults_local_ports (0, 10, 10)
460. defaults_given_host (0, 10, 10)
461. defaults_given_realtimehost (0, 10, 10)
462. defaults_given_host_using_default_fallbacks (0, 3, 3)
463. defaults_given_deprecated_host (0, 10, 10)
464. defaults_set_default_environment (0, 10, 10)
465. setup_history (0, 1, 1)
466. history_simple_binary (0, 2, 2)
467. history_simple_text (0, 2, 2)
468. history_multiple_binary (0, 2, 2)
469. history_multiple_text (0, 2, 2)
470. history_simple_paginated_b_binary (0, 34, 34)
471. history_simple_paginated_b_text (0, 34, 34)
472. history_simple_paginated_f (0, 28, 28)
473. history_multiple_paginated_b (0, 28, 28)
474. history_multiple_paginated_f (0, 28, 28)
475. history_encoding_errors_binary (0, 2, 2)
476. history_encoding_errors_text (0, 2, 2)
477. setupHttp (0, 1, 1)
478. apiVersionHeader (0, 20, 20)

479. `setupInit (0, 1, 1)`
480. `init_key_string (0, 1, 1)`
481. `init_token_string (0, 1, 1)`
482. `init_tls_false (0, 1, 1)`
483. `init_tls_true (0, 1, 1)`
484. `init_tls_absent (0, 1, 1)`
 1. equal
485. `init_wildcard_clientId (0, 3, 3)`
486. `setupInit (0, 1, 1)`
487. `rest_implicit_client_id_0 (0, 3, 3)`
488. `rest_explicit_client_id_0 (0, 3, 3)`
489. `rest_explicit_client_id_1 (0, 4, 4)`
490. `setup_presence (0, 1, 1)`
491. `presence_get_simple (0, 7, 7)`
492. `presence_history_simple (0, 7, 7)`
 1. Verify correct number of messages found
 2. Verify message decoding works correctly
 3. Decoding should remove encoding field
 4. Decoding should remove encoding field
 5. should not attempt to parse string data when no encoding field
 6. should not attempt to parse string data when no encoding field
 7. appropriate action
493. `presence_message_json_serialisation (0, 2, 2)`
494. `presence_get_limits_and_filtering (0, 3, 3)`
495. `setuptime (0, 1, 1)`
496. `request_time (0, 5, 5)`
497. `request_404 (0, 2, 2)`
498. `request_post_get_messages (0, 23, 23)`
499. `setup_stats (0, 1, 1)`
500. `appstats_minute0 (0, 3, 3)`
501. `appstats_minute1 (0, 3, 3)`
502. `appstats_hour0 (0, 3, 3)`
503. `appstats_day0 (0, 3, 3)`
504. `appstats_month0 (0, 3, 3)`
505. `appstats_limit_backwards (0, 3, 3)`
506. `appstats_limit_forwards (0, 3, 3)`
507. `appstats_pagination_backwards (0, 10, 10)`
508. `appstats_pagination_forwards (0, 10, 10)`
509. `appstats_pagination_omitted (0, 10, 10)`
510. `setuptime (0, 1, 1)`
511. `time0 (0, 1, 1)`
512. `setup_realtime (0, 1, 1)`
513. `device_going_offline_causes_disconnected_state (0, 3, 3)`
514. `device_going_online_causes_disconnected_connection_to_reconnect_immediately (0, 3, 3)`
515. `device_going_online_causes_suspended_connection_to_reconnect_immediately (0, 2, 2)`
516. `page_refresh_with_recovery (0, 2, 2)`
517. `page_refresh_persist_with_denied_recovery (0, 2, 2)`
518. `page_refresh_with_close_on_unload (0, 1, 1)`
519. `page_refresh_with_manual_recovery (0, 2, 2)`
520. `persist_preferred_transport (0, 1, 1)`
521. `use_persisted_transport0 (0, 1, 1)`
522. `use_persisted_transport1 (0, 1, 1)`
523. `browser_transports (0, 2, 2)`
524. `setupauth (0, 1, 1)`
525. `simpleInitBase0 (0, 1, 1)`
526. `wsbase0 (0, 1, 1)`
527. `wspublish0 (0, 5, 5)`
528. `wsheartbeat0 (0, 1, 1)`
529. `jsonpbase0 (0, 1, 1)`
530. `jsonppublish0 (0, 5, 5)`
531. `jsonpheartbeat0 (0, 1, 1)`

- 532. auto_transport_base0 (0, 1, 1)
- 533. auto_transport_publish0 (0, 5, 5)
- 534. auto_transport_heartbeat0 (0, 1, 1)
- 535. teardownapp (0, 1, 1)

Tests completed in 802047 milliseconds.
3864 assertions of 3866 passed, 2 failed.