

Mozilla/5.0 (Macintosh; Intel Mac OS X 10.12; rv:58.0) Gecko/20100101 Firefox/58.0

1. setupauth (0, 1, 1)
2. authbase0 (0, 5, 5)
3. auth_useAuthUrl_json (0, 1, 1)
4. auth_useAuthUrl_post_json (0, 1, 1)
5. auth_useAuthUrl_plainText (0, 1, 1)
6. auth_useAuthCallback_tokenRequestResponse (0, 3, 3)
7. auth_useAuthCallback_tokenDetailsResponse (0, 4, 4)
8. auth_useAuthCallback_tokenStringResponse (0, 3, 3)
9. auth_useAuthUrl_mixed_authParams_qsParams (0, 1, 1)
10. auth_clientid_inheritance (0, 1, 1)
11. auth_clientid_inheritance2 (0, 3, 3)
12. auth_clientid_inheritance3 (0, 1, 1)
13. auth_clientid_inheritance4 (0, 1, 1)
14. auth_clientid_inheritance5 (0, 1, 1)
15. authCallback_error (0, 3, 3)
16. authCallback_timeout (0, 3, 3)
17. authCallback_nothing (0, 3, 3)
18. authCallback_malformed (0, 3, 3)
19. authCallback_too_long_string (0, 3, 3)
20. authUrl_timeout (0, 3, 3)
21. authUrl_404 (0, 3, 3)
22. authUrl_wrong_content_type (0, 3, 3)
23. authUrl_401 (0, 3, 3)
24. authUrl_403 (0, 3, 3)
25. auth_token_expires_with_web_socket_binary_transport (0, 4, 4)
26. auth_token_expires_with_web_socket_text_transport (0, 4, 4)
27. auth_token_expires_with_xhr_streaming_binary_transport (0, 4, 4)
28. auth_token_expires_with_xhr_streaming_text_transport (0, 4, 4)
29. auth_token_expires_with_xhr_polling_binary_transport (0, 4, 4)
30. auth_token_expires_with_xhr_polling_text_transport (0, 4, 4)
31. auth_token_expires_with_binary_transport (0, 4, 4)
32. auth_token_expires_with_text_transport (0, 4, 4)
33. auth_query_time_once (0, 12, 12)
34. auth_tokenDetails_expiry_with_authcallback_with_web_socket_binary_transport (0, 4, 4)
35. auth_tokenDetails_expiry_with_authcallback_with_web_socket_text_transport (0, 4, 4)
36. auth_tokenDetails_expiry_with_authcallback_with_xhr_streaming_binary_transport (0, 4, 4)
37. auth_tokenDetails_expiry_with_authcallback_with_xhr_streaming_text_transport (0, 4, 4)
38. auth_tokenDetails_expiry_with_authcallback_with_xhr_polling_binary_transport (0, 4, 4)
39. auth_tokenDetails_expiry_with_authcallback_with_xhr_polling_text_transport (0, 4, 4)
40. auth_tokenDetails_expiry_with_authcallback_with_binary_transport (0, 4, 4)
41. auth_tokenDetails_expiry_with_authcallback_with_text_transport (0, 4, 4)
42. auth_token_string_expiry_with_authcallback_with_web_socket_binary_transport (0, 4, 4)
43. auth_token_string_expiry_with_authcallback_with_web_socket_text_transport (0, 4, 4)
44. auth_token_string_expiry_with_authcallback_with_xhr_streaming_binary_transport (0, 4, 4)
45. auth_token_string_expiry_with_authcallback_with_xhr_streaming_text_transport (0, 4, 4)
46. auth_token_string_expiry_with_authcallback_with_xhr_polling_binary_transport (0, 4, 4)
47. auth_token_string_expiry_with_authcallback_with_xhr_polling_text_transport (0, 4, 4)
48. auth_token_string_expiry_with_authcallback_with_binary_transport (0, 4, 4)
49. auth_token_string_expiry_with_authcallback_with_text_transport (0, 4, 4)

50. auth_token_string_expiry_with_token_with_web_socket_binary_transport (0, 6, 6)
51. auth_token_string_expiry_with_token_with_web_socket_text_transport (0, 6, 6)
52. auth_token_string_expiry_with_token_with_xhr_streaming_binary_transport (0, 6, 6)
53. auth_token_string_expiry_with_token_with_xhr_streaming_text_transport (0, 6, 6)
54. auth_token_string_expiry_with_token_with_xhr_polling_binary_transport (0, 6, 6)
55. auth_token_string_expiry_with_token_with_xhr_polling_text_transport (0, 6, 6)
56. auth_token_string_expiry_with_token_with_binary_transport (0, 6, 6)
57. auth_token_string_expiry_with_token_with_text_transport (0, 6, 6)
58. auth_expired_token_string_with_web_socket_binary_transport (0, 2, 2)
59. auth_expired_token_string_with_web_socket_text_transport (0, 2, 2)
60. auth_expired_token_string_with_xhr_streaming_binary_transport (0, 2, 2)
61. auth_expired_token_string_with_xhr_streaming_text_transport (0, 2, 2)
62. auth_expired_token_string_with_xhr_polling_binary_transport (0, 2, 2)
63. auth_expired_token_string_with_xhr_polling_text_transport (0, 2, 2)
64. auth_expired_token_string_with_binary_transport (0, 2, 2)
65. auth_expired_token_string_with_text_transport (0, 2, 2)
66. reauth_authCallback_with_web_socket_binary_transport (0, 5, 5)
67. reauth_authCallback_with_web_socket_text_transport (0, 5, 5)
68. reauth_authCallback_with_xhr_streaming_binary_transport (0, 5, 5)
69. reauth_authCallback_with_xhr_streaming_text_transport (0, 5, 5)
70. reauth_authCallback_with_xhr_polling_binary_transport (0, 5, 5)
71. reauth_authCallback_with_xhr_polling_text_transport (0, 5, 5)
72. reauth_authCallback_with_binary_transport (0, 5, 5)
73. reauth_authCallback_with_text_transport (0, 5, 5)
74. authorize_updates_stored_details (0, 8, 8)
75. mocked_reauth (0, 4, 4)
76. setupchannel (0, 1, 1)
77. channelinit0_with_web_socket_binary_transport (0, 4, 4)
78. channelinit0_with_web_socket_text_transport (0, 4, 4)
79. channelinit0_with_xhr_streaming_binary_transport (0, 4, 4)
80. channelinit0_with_xhr_streaming_text_transport (0, 4, 4)
81. channelinit0_with_xhr_polling_binary_transport (0, 4, 4)
82. channelinit0_with_xhr_polling_text_transport (0, 4, 4)
83. channelinit0_with_binary_transport (0, 4, 4)
84. channelinit0_with_text_transport (0, 4, 4)
85. channelattach0_with_web_socket_binary_transport (0, 1, 1)
86. channelattach0_with_web_socket_text_transport (0, 1, 1)
87. channelattach0_with_xhr_streaming_binary_transport (0, 1, 1)
88. channelattach0_with_xhr_streaming_text_transport (0, 1, 1)
89. channelattach0_with_xhr_polling_binary_transport (0, 1, 1)
90. channelattach0_with_xhr_polling_text_transport (0, 1, 1)
91. channelattach0_with_binary_transport (0, 1, 1)
92. channelattach0_with_text_transport (0, 1, 1)
93. channelattach2_with_web_socket_binary_transport (0, 1, 1)
94. channelattach2_with_web_socket_text_transport (0, 1, 1)
95. channelattach2_with_xhr_streaming_binary_transport (0, 1, 1)
96. channelattach2_with_xhr_streaming_text_transport (0, 1, 1)
97. channelattach2_with_xhr_polling_binary_transport (0, 1, 1)
98. channelattach2_with_xhr_polling_text_transport (0, 1, 1)
99. channelattach2_with_binary_transport (0, 1, 1)
100. channelattach2_with_text_transport (0, 1, 1)
101. channelattach3_with_web_socket_binary_transport (0, 1, 1)
102. channelattach3_with_web_socket_text_transport (0, 1, 1)
103. channelattach3_with_xhr_streaming_binary_transport (0, 1, 1)
104. channelattach3_with_xhr_streaming_text_transport (0, 1, 1)
105. channelattach3_with_xhr_polling_binary_transport (0, 1, 1)
106. channelattach3_with_xhr_polling_text_transport (0, 1, 1)

107. channelattachempty_with_web_socket_binary_transport (0, 2, 2)
108. channelattachempty_with_web_socket_text_transport (0, 2, 2)
109. channelattachempty_with_xhr_streaming_binary_transport (0, 2, 2)
110. channelattachempty_with_xhr_streaming_text_transport (0, 2, 2)
111. channelattachempty_with_xhr_polling_binary_transport (0, 2, 2)
112. channelattachempty_with_xhr_polling_text_transport (0, 2, 2)
113. channelattachempty_with_binary_transport (0, 2, 2)
114. channelattachempty_with_text_transport (0, 2, 2)
115. channelattachinvalid_with_web_socket_binary_transport (0, 4, 4)
116. channelattachinvalid_with_web_socket_text_transport (0, 4, 4)
117. channelattachinvalid_with_xhr_streaming_binary_transport (0, 4, 4)
118. channelattachinvalid_with_xhr_streaming_text_transport (0, 4, 4)
119. channelattachinvalid_with_xhr_polling_binary_transport (0, 4, 4)
120. channelattachinvalid_with_xhr_polling_text_transport (0, 4, 4)
121. channelattachinvalid_with_binary_transport (0, 4, 4)
122. channelattachinvalid_with_text_transport (0, 4, 4)
123. publish_no_attach_with_web_socket_binary_transport (0, 1, 1)
124. publish_no_attach_with_web_socket_text_transport (0, 1, 1)
125. publish_no_attach_with_xhr_streaming_binary_transport (0, 1, 1)
126. publish_no_attach_with_xhr_streaming_text_transport (0, 1, 1)
127. publish_no_attach_with_xhr_polling_binary_transport (0, 1, 1)
128. publish_no_attach_with_xhr_polling_text_transport (0, 1, 1)
129. publish_no_attach_with_binary_transport (0, 1, 1)
130. publish_no_attach_with_text_transport (0, 1, 1)
131. channelattach_publish_invalid_with_web_socket_binary_transport (0, 2, 2)
132. channelattach_publish_invalid_with_web_socket_text_transport (0, 2, 2)
133. channelattach_publish_invalid_with_xhr_streaming_binary_transport (0, 2, 2)
134. channelattach_publish_invalid_with_xhr_streaming_text_transport (0, 2, 2)
135. channelattach_publish_invalid_with_xhr_polling_binary_transport (0, 2, 2)
136. channelattach_publish_invalid_with_xhr_polling_text_transport (0, 2, 2)
137. channelattach_publish_invalid_with_binary_transport (0, 2, 2)
138. channelattach_publish_invalid_with_text_transport (0, 2, 2)
139. channelattach_invalid_twice_with_web_socket_binary_transport (0, 3, 3)
140. channelattach_invalid_twice_with_web_socket_text_transport (0, 3, 3)
141. channelattach_invalid_twice_with_xhr_streaming_binary_transport (0, 3, 3)
142. channelattach_invalid_twice_with_xhr_streaming_text_transport (0, 3, 3)
143. channelattach_invalid_twice_with_xhr_polling_binary_transport (0, 3, 3)
144. channelattach_invalid_twice_with_xhr_polling_text_transport (0, 3, 3)
145. channelattach_invalid_twice_with_binary_transport (0, 3, 3)
146. channelattach_invalid_twice_with_text_transport (0, 3, 3)
147. channelattachOnceOrIfAfter (0, 1, 1)
148. channelattachOnceOrIfBefore (0, 2, 2)
149. channelsubscribe0 (0, 1, 1)
150. channelsubscribe1 (0, 7, 7)
151. server_sent_detached (0, 4, 4)
152. server_sent_detached_while_attaching (0, 4, 4)
153. server_sent_error (0, 2, 2)
154. server_sent_attached_err (0, 6, 6)
155. publish_no_queueing (0, 1, 1)
156. channel_attach_timeout (0, 4, 4)
157. suspended_connection (0, 5, 5)
158. setupConnection (0, 1, 1)
159. connectionPing (0, 1, 1)
160. connectionPingWithCallback (0, 2, 2)
161. connectionAttributes (0, 6, 6)
162. unrecoverableConnection (0, 4, 4)
163. connectionQueuing (0, 5, 5)

164. connectionDetails (0, 4, 4)
165. setupConnectivity (0, 1, 1)
166. http_connectivity_check (0, 1, 1)
167. setupCrypto (0, 1, 1)
168. generateRandomKey0 (0, 1, 1)
169. generateRandomKey1 (0, 1, 1)
170. getDefaultParams_wordArray_key (0, 3, 3)
171. getDefaultParams_base64_key (0, 1, 1)
172. getDefaultParams_check_keylength (0, 1, 1)
173. getDefaultParams_preserves_custom_algorithms (0, 4, 4)
174. encrypt_message_128 (0, 4, 4)
175. encrypt_message_256 (0, 4, 4)
176. decrypt_message_128 (0, 4, 4)
177. decrypt_message_256 (0, 4, 4)
178. fromEncoded_cipher_options (0, 4, 4)
179. msgpack_128 (0, 8, 8)
180. msgpack_256 (0, 8, 8)
181. single_send_128_with_web_socket_binary_transport (0, 3, 3)
182. single_send_128_with_web_socket_text_transport (0, 3, 3)
183. single_send_128_with_xhr_streaming_binary_transport (0, 3, 3)
184. single_send_128_with_xhr_streaming_text_transport (0, 3, 3)
185. single_send_128_with_xhr_polling_binary_transport (0, 3, 3)
186. single_send_128_with_xhr_polling_text_transport (0, 3, 3)
187. single_send_128_with_binary_transport (0, 3, 3)
188. single_send_128_with_text_transport (0, 3, 3)
189. single_send_256_with_web_socket_binary_transport (0, 3, 3)
190. single_send_256_with_web_socket_text_transport (0, 3, 3)
191. single_send_256_with_xhr_streaming_binary_transport (0, 3, 3)
192. single_send_256_with_xhr_streaming_text_transport (0, 3, 3)
193. single_send_256_with_xhr_polling_binary_transport (0, 3, 3)
194. single_send_256_with_xhr_polling_text_transport (0, 3, 3)
195. single_send_256_with_binary_transport (0, 3, 3)
196. single_send_256_with_text_transport (0, 3, 3)
197. multiple_send_binary_2_200 (0, 5, 5)
198. multiple_send_text_2_200 (0, 5, 5)
199. multiple_send_binary_20_100 (0, 23, 23)
200. multiple_send_text_20_100 (0, 23, 23)
201. single_send_binary_text (0, 3, 3)
202. single_send_text_binary (0, 3, 3)
203. publish_immediately (0, 1, 1)
204. single_send_key_mismatch (0, 1, 1)
205. single_send_unencrypted (0, 1, 1)
206. single_send_encrypted_unhandled (0, 1, 1)
207. set_cipher_params0 (0, 3, 3)
208. setupEncoding (0, 1, 1)
209. message_decoding (0, 10, 10)
210. message_encoding (0, 25, 25)
211. setupauth (0, 1, 1)
212. attachdetach0 (0, 8, 8)
213. emitCallsAllCallbacksIgnoringExceptions (0, 1, 1)
214. onceCalledOnlyOnce (0, 2, 2)
215. onceCallbackDoesNotImpactOnCallback (0, 1, 1)
216. offRemovesAllMatchingListeners (0, 2, 2)
217. offRemovesAllListeners (0, 2, 2)
218. offRemovesAllMatchingEventListeners (0, 2, 2)
219. offRemovesAllMatchingEvents (0, 2, 2)
220. offRemovesEmptyEventNameListeners (0, 4, 4)

- 221. arrayOfEvents (0, 4, 4)
- 222. listenerAddedInListenerCb (0, 2, 2)
- 223. listenerRemovedInListenerCb (0, 4, 4)
- 224. setupFailure (0, 1, 1)
- 225. invalid_cred_failure (0, 16, 16)
- 226. break_transport (0, 4, 4)
- 227. no_connection_lifecycle (0, 4, 4)
- 228. failed_channel (0, 18, 18)
- 229. attach_timeout (0, 4, 4)
- 230. nack_on_connection_suspended (0, 3, 3)
- 231. nack_on_connection_failed (0, 3, 3)
- 232. nack_on_connection_closed (0, 3, 3)
- 233. idle_transport_timeout (0, 3, 3)
- 234. setup_realtime_history (0, 1, 1)
- 235. history_until_attach (0, 4, 4)
- 236. setupInit (0, 1, 1)
- 237. initbase0 (0, 1, 1)
- 238. init_key_string (0, 2, 2)
- 239. init_token_string (0, 2, 2)
- 240. init_key_with_usetokenauth (0, 4, 4)
- 241. init_usetokenauth_defaulttokenparams_wildcard (0, 4, 4)
- 242. init_defaulttokenparams_nonwildcard (0, 3, 3)
- 243. init_conflicting_clientids (0, 2, 2)
- 244. init_with_usetokenauth_false_and_a_clientid (0, 1, 1)
- 245. init_defaulthost (0, 1, 1)
- 246. init_timeouts (0, 3, 3)
- 247. init_fallbacks (0, 6, 6)
- 248. init_and_connection_details (0, 4, 4)
- 249. setupMessage (0, 1, 1)
- 250. publishonce (0, 2, 2)
- 251. publishfast_with_web_socket_binary_transport (0, 100, 100)
- 252. publishfast_with_web_socket_text_transport (0, 100, 100)
- 253. publishfast_with_xhr_streaming_binary_transport (0, 100, 100)
- 254. publishfast_with_xhr_streaming_text_transport (0, 100, 100)
- 255. publishfast_with_xhr_polling_binary_transport (0, 100, 100)
- 256. publishfast_with_xhr_polling_text_transport (0, 100, 100)
- 257. publishfast_with_binary_transport (0, 100, 100)
- 258. publishfast_with_text_transport (0, 100, 100)
- 259. publishQueued_with_web_socket_binary_transport (0, 150, 150)
- 260. publishQueued_with_web_socket_text_transport (0, 150, 150)
- 261. publishQueued_with_xhr_streaming_binary_transport (0, 150, 150)
- 262. publishQueued_with_xhr_streaming_text_transport (0, 150, 150)
- 263. publishQueued_with_xhr_polling_binary_transport (0, 150, 150)
- 264. publishQueued_with_xhr_polling_text_transport (0, 150, 150)
- 265. publishQueued_with_binary_transport (0, 150, 150)
- 266. publishQueued_with_text_transport (0, 150, 150)
- 267. publishEcho (0, 7, 7)
- 268. publishVariations (0, 28, 28)
- 269. publishDisallowed (0, 12, 12)
- 270. publishEncodings (0, 16, 16)
- 271. restpublish (0, 20, 20)
- 272. publish_with_web_socket_binary_transport (0, 10, 10)
- 273. publish_with_web_socket_text_transport (0, 10, 10)
- 274. publish_with_xhr_streaming_binary_transport (0, 10, 10)
- 275. publish_with_xhr_streaming_text_transport (0, 10, 10)
- 276. publish_with_xhr_polling_binary_transport (0, 10, 10)
- 277. publish_with_xhr_polling_text_transport (0, 10, 10)

- 278. publish_with_binary_transport (0, 10, 10)
- 279. publish_with_text_transport (0, 10, 10)
- 280. implicit_client_id_0 (0, 3, 3)
- 281. explicit_client_id_0 (0, 4, 4)
- 282. explicit_client_id_1 (0, 4, 4)
- 283. subscribe_with_event_array (0, 3, 3)
- 284. extras_field (0, 3, 3)
- 285. setupPresence (0, 1, 1)
- 286. setupPresenceTokens (0, 2, 2)
- 287. presenceAttachAndEnter (0, 2, 2)
- 288. presenceEnterWithoutAttach (0, 2, 2)
- 289. presenceEnterWithoutConnect (0, 2, 2)
- 290. presenceEnterDetachRace (0, 3, 3)
- 291. presenceEnterWithCallback (0, 2, 2)
- 292. presenceEnterWithNothing (0, 1, 1)
- 293. presenceEnterWithData (0, 1, 1)
- 294. presenceMessageAction (0, 1, 1)
- 295. presenceEnterDetachEnter (0, 4, 4)
- 296. presenceEnterInvalid (0, 2, 2)
- 297. presenceEnterAndLeave (0, 3, 3)
- 298. presenceEnterUpdate (0, 5, 5)
- 299. presenceEnterGet (0, 4, 4)
- 300. presenceSubscribeUnattached (0, 1, 1)
- 301. presenceGetUnattached (0, 5, 5)
- 302. presenceEnterLeaveGet (0, 3, 3)
- 303. presenceHistory (0, 3, 3)
- 304. presenceHistoryUntilAttach (0, 6, 6)
- 305. presenceSecondConnection (0, 3, 3)
- 306. presenceTwoMembers (0, 10, 10)
- 307. presenceEnterAfterClose (0, 5, 5)
- 308. presenceEnterClosed (0, 2, 2)
- 309. presenceClientIdsImplicit (0, 6, 6)
- 310. presenceOn (0, 1, 1)
- 311. presenceEncoding (0, 6, 6)
- 312. presence_enter_inherited_clientid (0, 3, 3)
- 313. presence_enter_before_know_clientid (0, 4, 4)
- 314. presence_refresh_on_detach (0, 7, 7)
- 315. presence_detach_during_sync (0, 1, 1)
- 316. presence_auto_reenter (0, 7, 7)
- 317. presence_failed_auto_reenter (0, 5, 5)
- 318. multiple_pending (0, 1, 1)
- 319. leave_published_for_member_missing_from_sync (0, 6, 6)
- 320. leave_published_for_members_on_presenceless_attached (0, 4, 4)
- 321. suspended_preserves_presence (0, 8, 8)
- 322. presence_many_updates (0, 1, 1)
- 323. setupreauth (0, 1, 1)
- 324. reauthCapabilityUpgradeNewChannel_with_web_socket_binary_transport (0, 1, 1)
- 325. reauthCapabilityUpgradeNewChannel_with_web_socket_text_transport (0, 1, 1)
- 326. reauthCapabilityUpgradeNewChannel_with_xhr_streaming_binary_transport (0, 1, 1)
- 327. reauthCapabilityUpgradeNewChannel_with_xhr_streaming_text_transport (0, 1, 1)
- 328. reauthCapabilityUpgradeNewChannel_with_xhr_polling_binary_transport (0, 1, 1)
- 329. reauthCapabilityUpgradeNewChannel_with_xhr_polling_text_transport (0, 1, 1)
- 330. reauthCapabilityUpgradeNewChannel_with_binary_transport (0, 1, 1)
- 331. reauthCapabilityUpgradeNewChannel_with_text_transport (0, 1, 1)
- 332. reauthCapabilityDowngradeFullChannel_with_web_socket_binary_transport (0, 1, 1)
- 333. reauthCapabilityDowngradeFullChannel_with_web_socket_text_transport (0, 1, 1)
- 334. reauthCapabilityDowngradeFullChannel_with_xhr_streaming_binary_transport (0, 1, 1)

- 335. reauthCapabilityDowngradeFullChannel_with_xhr_streaming_text_transport (0, 1, 1)
- 336. reauthCapabilityDowngradeFullChannel_with_xhr_polling_binary_transport (0, 1, 1)
- 337. reauthCapabilityDowngradeFullChannel_with_xhr_polling_text_transport (0, 1, 1)
- 338. reauthCapabilityDowngradeFullChannel_with_binary_transport (0, 1, 1)
- 339. reauthCapabilityDowngradeFullChannel_with_text_transport (0, 1, 1)
- 340. reauthCapabilityUpgradeAddPublish_with_web_socket_binary_transport (0, 1, 1)
- 341. reauthCapabilityUpgradeAddPublish_with_web_socket_text_transport (0, 1, 1)
- 342. reauthCapabilityUpgradeAddPublish_with_xhr_streaming_binary_transport (0, 1, 1)
- 343. reauthCapabilityUpgradeAddPublish_with_xhr_streaming_text_transport (0, 1, 1)
- 344. reauthCapabilityUpgradeAddPublish_with_xhr_polling_binary_transport (0, 1, 1)
- 345. reauthCapabilityUpgradeAddPublish_with_xhr_polling_text_transport (0, 1, 1)
- 346. reauthCapabilityUpgradeAddPublish_with_binary_transport (0, 1, 1)
- 347. reauthCapabilityUpgradeAddPublish_with_text_transport (0, 1, 1)
- 348. reauthCapabilityDowngradePublish_with_web_socket_binary_transport (0, 1, 1)
- 349. reauthCapabilityDowngradePublish_with_web_socket_text_transport (0, 1, 1)
- 350. reauthCapabilityDowngradePublish_with_xhr_streaming_binary_transport (0, 1, 1)
- 351. reauthCapabilityDowngradePublish_with_xhr_streaming_text_transport (0, 1, 1)
- 352. reauthCapabilityDowngradePublish_with_xhr_polling_binary_transport (0, 1, 1)
- 353. reauthCapabilityDowngradePublish_with_xhr_polling_text_transport (0, 1, 1)
- 354. reauthCapabilityDowngradePublish_with_binary_transport (0, 1, 1)
- 355. reauthCapabilityDowngradePublish_with_text_transport (0, 1, 1)
- 356. setupResume (0, 1, 1)
- 357. resume_inactive_with_web_socket_binary_transport (0, 3, 3)
- 358. resume_inactive_with_web_socket_text_transport (0, 3, 3)
- 359. resume_inactive_with_xhr_streaming_binary_transport (0, 3, 3)
- 360. resume_inactive_with_xhr_streaming_text_transport (0, 3, 3)
- 361. resume_inactive_with_xhr_polling_binary_transport (0, 3, 3)
- 362. resume_inactive_with_xhr_polling_text_transport (0, 3, 3)
- 363. resume_active_with_web_socket_binary_transport (0, 3, 3)
- 364. resume_active_with_web_socket_text_transport (0, 3, 3)
- 365. resume_active_with_xhr_streaming_binary_transport (0, 3, 3)
- 366. resume_active_with_xhr_streaming_text_transport (0, 3, 3)
- 367. resume_active_with_xhr_polling_binary_transport (0, 3, 3)
- 368. resume_active_with_xhr_polling_text_transport (0, 3, 3)
- 369. resume_lost_continuity_with_web_socket_binary_transport (0, 3, 3)
- 370. resume_lost_continuity_with_web_socket_text_transport (0, 3, 3)
- 371. resume_lost_continuity_with_xhr_streaming_binary_transport (0, 3, 3)
- 372. resume_lost_continuity_with_xhr_streaming_text_transport (0, 3, 3)
- 373. resume_lost_continuity_with_xhr_polling_binary_transport (0, 3, 3)
- 374. resume_lost_continuity_with_xhr_polling_text_transport (0, 3, 3)
- 375. resume_token_error_with_web_socket_binary_transport (0, 2, 2)
- 376. resume_token_error_with_web_socket_text_transport (0, 2, 2)
- 377. resume_token_error_with_xhr_streaming_binary_transport (0, 2, 2)
- 378. resume_token_error_with_xhr_streaming_text_transport (0, 2, 2)
- 379. resume_token_error_with_xhr_polling_binary_transport (0, 2, 2)
- 380. resume_token_error_with_xhr_polling_text_transport (0, 2, 2)
- 381. resume_fatal_error_with_web_socket_binary_transport (0, 3, 3)
- 382. resume_fatal_error_with_web_socket_text_transport (0, 3, 3)
- 383. resume_fatal_error_with_xhr_streaming_binary_transport (0, 3, 3)
- 384. resume_fatal_error_with_xhr_streaming_text_transport (0, 3, 3)
- 385. resume_fatal_error_with_xhr_polling_binary_transport (0, 3, 3)
- 386. resume_fatal_error_with_xhr_polling_text_transport (0, 3, 3)
- 387. channel_resumed_flag (0, 2, 2)
- 388. no_resume_once_suspended (0, 1, 1)
- 389. no_resume_last_activity (0, 1, 1)
- 390. setupSync (0, 1, 1)
- 391. sync_existing_set (0, 6, 6)

392. sync_member_arrives_in_middle (0, 3, 3)
393. sync_member_arrives_normally_after_came_in_sync (0, 3, 3)
394. sync_member_arrives_normally_before_comes_in_sync (0, 3, 3)
395. presence_ordering (0, 5, 5)
396. presence_sync_interruptus (0, 1, 1)
397. setupUpgrade (0, 1, 1)
398. setupUpgradeRest (0, 1, 1)
399. publishpreupgrade (0, 2, 2)
400. publishpostupgrade0 (0, 2, 2)
401. publishpostupgrade1 (0, 2, 2)
402. upgradepublish0 (0, 10, 10)
403. upgradepublish1 (0, 10, 10)
404. upgradebase0 (0, 2, 2)
405. upgradeheartbeat0 (0, 1, 1)
406. upgradeheartbeat1 (0, 1, 1)
407. upgradeheartbeat2 (0, 1, 1)
408. upgradeheartbeat3 (0, 1, 1)
409. unrecoverableUpgrade (2, 2, 4)
410. message_timeout_stalling_upgrade (0, 3, 3)
411. unresponsive_upgrade_sync (0, 5, 5)
412. persist_transport_prefs (0, 4, 4)
413. upgrade_original_transport_dies (0, 4, 4)
414. setupauth (0, 1, 1)
415. authbase0 (0, 5, 5)
416. authbase1 (0, 4, 4)
417. authbase2 (0, 1, 1)
418. authtime0 (0, 4, 4)
419. authtime1 (0, 1, 1)
420. authtime2 (0, 4, 4)
421. authnonce0 (0, 1, 1)
422. authclientid0 (0, 5, 5)
423. authemptyclientid (0, 1, 1)
424. authcapability0 (0, 4, 4)
425. authkey0 (0, 5, 5)
426. authexplicit_simple (0, 4, 4)
427. authexplicit_key (0, 5, 5)
428. authmac0 (0, 1, 1)
429. authdefaulttokenparams0 (0, 3, 3)
430. authdefaulttokenparams1 (0, 2, 2)
431. authauthorize (0, 3, 3)
432. authttl0 (0, 1, 1)
433. authttl1 (0, 1, 1)
434. authttl2 (0, 1, 1)
435. authttl3 (0, 1, 1)
436. auth_createTokenRequest_given_key (0, 6, 6)
437. auth_createTokenRequest_params0 (0, 1, 1)
438. auth_createTokenRequest_params1 (0, 1, 1)
439. auth_createTokenRequest_given_key2 (0, 1, 1)
440. auth_createTokenRequest_capability_object (0, 1, 1)
441. setupcapability (0, 1, 1)
442. authcapability0 (0, 1, 1)
443. authcapability1 (0, 1, 1)
444. authcapability2 (0, 1, 1)
445. authcapability3 (0, 1, 1)
446. authcapability4 (0, 1, 1)
447. authcapability5 (0, 1, 1)
448. authcapability6 (0, 1, 1)

- 449. authcapability7 (0, 1, 1)
- 450. authcapability8 (0, 1, 1)
- 451. authcapability9 (0, 1, 1)
- 452. authcapability10 (0, 1, 1)
- 453. invalid0 (0, 1, 1)
- 454. invalid1 (0, 1, 1)
- 455. invalid2 (0, 1, 1)
- 456. defaults_no_opts (0, 11, 11)
- 457. defaults_production (0, 11, 11)
- 458. defaults_given_environment (0, 10, 10)
- 459. defaults_local_ports (0, 10, 10)
- 460. defaults_given_host (0, 10, 10)
- 461. defaults_given_realtimehost (0, 10, 10)
- 462. defaults_given_host_using_default_fallbacks (0, 3, 3)
- 463. defaults_given_deprecated_host (0, 10, 10)
- 464. defaults_set_default_environment (0, 10, 10)
- 465. setup_history (0, 1, 1)
- 466. history_simple_binary (0, 2, 2)
- 467. history_simple_text (0, 2, 2)
- 468. history_multiple_binary (0, 2, 2)
- 469. history_multiple_text (0, 2, 2)
- 470. history_simple_paginated_b_binary (0, 34, 34)
- 471. history_simple_paginated_b_text (0, 34, 34)
- 472. history_simple_paginated_f (0, 28, 28)
- 473. history_multiple_paginated_b (0, 28, 28)
- 474. history_multiple_paginated_f (0, 28, 28)
- 475. history_encoding_errors_binary (0, 2, 2)
- 476. history_encoding_errors_text (0, 2, 2)
- 477. setupHttp (0, 1, 1)
- 478. apiVersionHeader (0, 20, 20)
- 479. setuplunit (0, 1, 1)
- 480. init_key_string (0, 1, 1)
- 481. init_token_string (0, 1, 1)
- 482. init_tls_false (0, 1, 1)
- 483. init_tls_true (0, 1, 1)
- 484. init_tls_absent (0, 1, 1)
- 485. init_wildcard_clientId (0, 3, 3)
- 486. setuplunit (0, 1, 1)
- 487. rest_implicit_client_id_0 (0, 3, 3)
- 488. rest_explicit_client_id_0 (0, 3, 3)
- 489. rest_explicit_client_id_1 (0, 4, 4)
- 490. setup_presence (0, 1, 1)
- 491. presence_get_simple (0, 7, 7)
- 492. presence_history_simple (0, 7, 7)
- 493. presence_message_json_serialisation (0, 2, 2)
- 494. presence_get_limits_and_filtering (0, 3, 3)
- 495. setup_time (0, 1, 1)
- 496. request_time (0, 5, 5)
- 497. request_404 (0, 2, 2)
- 498. request_post_get_messages (0, 23, 23)
- 499. setup_stats (0, 1, 1)
- 500. appstats_minute0 (0, 3, 3)
- 501. appstats_minute1 (0, 3, 3)
- 502. appstats_hour0 (0, 3, 3)
- 503. appstats_day0 (0, 3, 3)
- 504. appstats_month0 (0, 3, 3)
- 505. appstats_limit_backwards (0, 3, 3)

- 506. appstats_limit_forwards (0, 3, 3)
- 507. appstats_pagination_backwards (0, 10, 10)
- 508. appstats_pagination_forwards (0, 10, 10)
- 509. appstats_pagination_omitted (0, 10, 10)
- 510. setup_time (0, 1, 1)
- 511. time0 (0, 1, 1)
- 512. setup_realtime (0, 1, 1)
- 513. device_going_offline_causes_disconnected_state (0, 3, 3)
- 514. device_going_online_causes_disconnected_connection_to_reconnect_immediately (0, 3, 3)
- 515. device_going_online_causes_suspended_connection_to_reconnect_immediately (0, 2, 2)
- 516. page_refresh_with_recovery (0, 2, 2)
- 517. page_refresh_persist_with_denied_recovery (0, 2, 2)
- 518. page_refresh_with_close_on_unload (0, 1, 1)
- 519. page_refresh_with_manual_recovery (0, 2, 2)
- 520. persist_preferred_transport (0, 1, 1)
- 521. use_persisted_transport0 (0, 1, 1)
- 522. use_persisted_transport1 (0, 1, 1)
- 523. browser_transports (0, 2, 2)
- 524. setup_auth (0, 1, 1)
- 525. simpleInitBase0 (0, 1, 1)
- 526. wsbase0 (0, 1, 1)
- 527. wspublish0 (0, 5, 5)
- 528. wsheartbeat0 (0, 1, 1)
- 529. jsonpbase0 (0, 1, 1)
- 530. jsonppublish0 (0, 5, 5)
- 531. jsonpheartbeat0 (0, 1, 1)
- 532. auto_transport_base0 (0, 1, 1)
- 533. auto_transport_publish0 (0, 5, 5)
- 534. auto_transport_heartbeat0 (0, 1, 1)
- 535. teardownapp (0, 1, 1)

Tests completed in 700486 milliseconds.

3864 assertions of 3866 passed, 2 failed.