

show_techsupport.htmlReport generated on 28-May-2024 at 01:14:32 by [pytesthtml](#) v4.1.1**Environment**

Python	3.8.10
Platform	Linux-5.4.0-162-generic-x86_64-with-glibc2.29
Packages	<ul style="list-style-type: none"> • pytest: 7.4.0 • plugin: 1.4.0
Plugins	<ul style="list-style-type: none"> • forked: 1.6.0 • edit: 1.28.0 • enable: 1.0 • html: 4.1.1 • allure-pytest: 2.8.22 • metadata: 3.1.1 • repeat: 0.9.3

Summary

4 tests took 00:38.08.

(Un)check the boxes to filter the results.

 Failed, Passed, Skipped, Expected failures, Unexpected passes, Errors, Runners[Show all details](#) / [Hide all details](#)

Result	Test
<input checked="" type="checkbox"/> Failed	show_techsupport/test_techsupport.py::test_techsupport[mirroring-ixre-egl-board15]
	request = <FixtureRequest for <Function test_techsupport[mirroring-ixre-egl-board15]>>, config = None duthosts = [<MultiAsicHost ixre-egl-board15>, <MultiAsicHost ixre-egl-board7>, <MultiAsicSonicHost ixre-cpm-chassis11>], enum_rand_one_per_hwsku_frontend_hostname = 'ixre-egl-board15' def test_techsupport(request, config, duthosts, enum_rand_one_per_hwsku_frontend_hostname): """ test the "show techsupport" command in a loop :param config: fixture to configure additional setups_list on dut. :param duthost: DUT host """ duthost = duthosts[enum_rand_one_per_hwsku_frontend_hostname] loop_range = request.config.getvalue("--loop_num") or DEFAULT_LOOP_RANGE loop_delay = request.config.getvalue("--loop_delay") or DEFAULT_LOOP_DELAY since = request.config.getvalue("--log_since") or str(randint(1, 5)) + " minute ago" logger.debug("Loop_range is {} and loop_delay is {}".format(loop_range, loop_delay)) <input checked="" type="checkbox"/> show_techsupport/test_techsupport_no_secret_removed_from_show_techsupport[ive-cpm-chassis11] DEBUG tests.common.helpers.parallel:parallel1.py:153 Started process 1761557 running target "analyzer_logrotate--<MultiAsicSonicHost ixre-egl-board15>" DEBUG tests.common.helpers.parallel:parallel1.py:153 Started process 1761561 running target "analyzer_logrotate--<MultiAsicSonicHost ixre-egl-board7>" DEBUG tests.common.helpers.parallel:parallel1.py:153 Started process 1761565 running target "analyzer_logrotate--<MultiAsicSonicHost ixre-cpm-chassis11>" INFO tests.common.helpers.parallel:parallel1.py:85 process analyzer_logrotate--<MultiAsicSonicHost ixre-egl-board15> terminated with exit code None INFO tests.common.helpers.parallel:parallel1.py:85 process analyzer_logrotate--<MultiAsicSonicHost ixre-egl-board7> terminated with exit code None INFO tests.common.helpers.parallel:parallel1.py:85 process analyzer_logrotate--<MultiAsicSonicHost ixre-cpm-chassis11> terminated with exit code None DEBUG tests.common.helpers.parallel:parallel1.py:151 task completed 3, running 0 INFO tests.common.helpers.parallel:parallel1.py:221 Completed running processes for target "analyzer_logrotate" in 0:00:15.513764 seconds DEBUG root:loganalyser.py:219 Loaded common config. DEBUG root:loganalyser.py:219 Loaded common config. DEBUG root:loganalyser.py:219 Loaded common config. DEBUG tests.common.helpers.parallel:parallel1.py:153 Started process 1761780 running target "analyzer_add_marker--<MultiAsicSonicHost ixre-egl-board15>" DEBUG tests.common.helpers.parallel:parallel1.py:153 Started process 1761783 running target "analyzer_add_marker--<MultiAsicSonicHost ixre-egl-board7>" DEBUG tests.common.helpers.parallel:parallel1.py:153 Started process 1761787 running target "analyzer_add_marker--<MultiAsicSonicHost ixre-cpm-chassis11>" INFO tests.common.helpers.parallel:parallel1.py:85 process analyzer_add_marker--<MultiAsicSonicHost ixre-cpm-chassis11> terminated with exit code None <input checked="" type="checkbox"/> show_techsupport/test_techsupport[ac-ive-egl-board15]:setup duthosts = [<MultiAsicHost ixre-egl-board15>, <MultiAsicHost ixre-egl-board7>, <MultiAsicSonicHost ixre-cpm-chassis11>], enum_rand_one_per_hwsku_frontend_hostname = 'ixre-egl-board15' acl_setup = {'dut_tmp_dir': 'acl_tmp/ac1npqhwq9'} @pytest.fixture(scope='function') def acl(duthosts, enum_rand_one_per_hwsku_frontend_hostname, acl_setup): """ setup/teardown ACL rules based on test class requirements :param duthost: DUT host object :param acl_setup: setup information :return: """ duthost = duthosts[enum_rand_one_per_hwsku_frontend_hostname] acl_facts = duthost.acl_facts()["ansible_facts"]["ansible_acl_facts"] pytest_require(ACL_TABLE_NAME in acl_facts, "(!) acl table not exists") <input checked="" type="checkbox"/> show_techsupport/test_techsupport.py::test_techsupport[mirroring-ixre-egl-board15]:teardown duthosts = [<MultiAsicSonicHost ixre-egl-board15>, <MultiAsicSonicHost ixre-egl-board7>, <MultiAsicSonicHost ixre-cpm-chassis11>] request = <SubRequest 'loganalyser' for <Function test_techsupport[mirroring-ixre-egl-board15]>> @ pytest.fixture(autouse=True) def loganalyser(duthosts, request): if request.config.getvalue("--disable_loganalyser") or "disable_loganalyser" in request.keywords: logging.info("Log analyzer is disabled") yield return # Analyze all the duts fail_test = not (request.config.getvalue("--ignore_la_failure")) store_la_logs = request.config.getvalue("--store_la_logs") analyzers = () should_rotate_log = request.config.getvalue("--loganalyser_rotate_logs") <input checked="" type="checkbox"/> show_techsupport/test_techsupport_no_secret_removed_from_show_techsupport[ive-egl-board15]:teardown duthosts = [<MultiAsicSonicHost ixre-egl-board15>, <MultiAsicSonicHost ixre-egl-board7>, <MultiAsicSonicHost ixre-cpm-chassis11>] request = <SubRequest 'loganalyser' for <Function test_secret_removed_from_show_techsupport[ixre-egl-board15]>> @ pytest.fixture(autouse=True) def loganalyser(duthosts, request): if request.config.getvalue("--disable_loganalyser") or "disable_loganalyrer" in request.keywords: logging.info("Log analyzer is disabled") yield return # Analyze all the duts fail_test = not (request.config.getvalue("--ignore_la_failure")) store_la_logs = request.config.getvalue("--store_la_logs") analyzers = () should_rotate_log = request.config.getvalue("--loganalyser_rotate_logs")